



Date: September 19, 2012

Name of Product: Altova Authentic 2013; available in Desktop or Browser Editions

Contact for more Information: David A. Gast, (978) 816-1600, david.gast@altova.com

Summary Table

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Supported: Please refer to this VPAT below.	
Section 1194.22 Web-based Internet Information and Applications	Supported: Please refer to this VPAT below.	
Section 1194.23 Telecommunications Products	Not Applicable	Altova Authentic 2013 is not considered a telecommunications product according to the definition in 1194.23.
Section 1194.24 Video and Multi-media Products	Not Applicable	Altova Authentic 2013 does not use multimedia except as covered in section 1194.21.
Section 1194.25 Self-Contained, Closed Products	Not Applicable	Altova Authentic 2013 is not a self-contained product according to the definition in Section 1194.25.
Section 1194.26 Desktop and Portable Computers	Not Applicable	Altova Authentic 2013 is software as defined under section 1194.21.
Section 1194.31 Functional Performance Criteria	Supported: Please refer to this VPAT below.	
Section 1194.41 Information, Documentation and Support	Supported: Please refer to this VPAT below.	

Section 1194.21 Software Applications and Operating Systems – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supported	Altova Authentic 2013 supports a keyboard interface for input and provides fully customizable keyboard shortcuts for all menu items.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supported with exceptions	Altova Authentic 2013 does not disable accessibility features of Windows or other applications except for limited instances where screen reader products (Microsoft Narrator, Jaws, or ZoomText) are not fully supported (see (c) below).
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supported with exceptions	Altova Authentic 2013 does not fully support the speech component of ZoomText and Jaws with respect to focus. Screen magnification works. Also screen readers can correctly present all labels of menus and context menus (see (d) below).
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supported	
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supported	

(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supported	
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supported	
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supported	
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supported	
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supported	
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supported	
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supported	

Section 1194.22 Web-based Internet information and applications – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are

		responsible for ensuring that their own web pages conform to this criterion.
(g) Row and column headers shall be identified for data tables.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Supported	Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.

<p>(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.</p>	<p>Supported</p>	<p>Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.</p>
<p>(o) A method shall be provided that permits users to skip repetitive navigation links.</p>	<p>Supported</p>	<p>Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.</p>
<p>(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>	<p>Supported</p>	<p>Altova Authentic 2013 can be used as a browser plug-in inside web applications that conform to this criterion. Developers using Altova Authentic 2013 are responsible for ensuring that their own web pages conform to this criterion.</p>

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.31 Functional Performance Criteria – Detail

VPAT™

Voluntary Product Accessibility Template®

<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supported with exceptions	Altova Authentic 2013 works with screen magnification, but some speech functionality does not work in Microsoft Narrator, Jaws, or ZoomText. Exceptions are documented above in 1194.21(c).
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supported	Altova Authentic 2013 supports the use of screen readers to access user interface information and has internal print enlarging technologies as well. Users of Windows operating systems can change the DPI settings or access Screen Magnifier in the Accessibility Options or via the Ease of Access control panel section.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supported	Altova Authentic 2013 does not require user hearing for access to any application functionality.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supported	Altova Authentic 2013 does not require user hearing for access to any application functionality.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supported	Altova Authentic 2013 does not require user speech for access to any application functionality.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supported	All information can be entered through the keyboard. Also, Altova Authentic 2013 supports operating system tools such as StickyKeys and FilterKeys.

**Section 1194.41 Information, Documentation and Support –
Detail**

VPAT™

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supported	Documentation for Altova Authentic 2013 is provided in digital format, both with the products and on the Altova web site (http://www.altova.com) at no additional charge.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supported	
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supported	

This document is for informational purposes only. ALTOVA MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

© 2012 Altova, Inc. All rights reserved. Altova, XMLSpy, MapForce, StyleVision, DiffDog, DatabaseSpy, AltovaXML, MissionKit, and SchemaAgent are either registered trademarks or trademarks of Altova GmbH in the United States and/or other countries. The names of actual companies and products mentioned herein may be the trademarks of their respective owners. The information contained in this document represents the current view of Altova, Inc. on the issues discussed as of the date of publication. Because Altova must respond to changing market conditions, it should not be interpreted to be a commitment on the part of Altova, and Altova cannot guarantee the accuracy of any information presented after the date of publication.